# SAFETY DATA SHEET Sulfate BioChem (SBC)

# 1. PRODUCT AND COMPANY IDENTIFICATION

**PRODUCT NAME:** Sulfate BioChem (SBC)

**GENERAL USE:** Anaerobic oxidation of petroleum products

MANUFACTURER: EMERGENCY TELEPHONE:

Redox Tech, LLC 200 Quade Drive Cary, NC 27513 919-678-0140 Within USA and Canada: 1-800-424-9300 +1 703-527-3887 (collect calls accepted)

### 2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW: May have a slight sulfur odor.

Off-white granular powder.

May react in the presence of a reducing agent and water to produce hydrogen sulfide.

Contact with eyes will likely cause irritation and should be rinsed immediately.

Should be no irritation upon contact with skin.

Dusk exposure may cause irritation to breathing tract.

# 3. COMPOSITION INFORMATION ON INGREDIENTS

All the components are non-hazardous

# 4. FIRST AID MEASURES

**EYES:** Immediately flush with water for 15 minutes. See a medical doctor immediately thereafter.

**SKIN:** Rinse with water. Irritation is unlikely, but if irritation occurs or persists, seek medical attention.

**INGESTION:** Dilute by drinking 1-2 liters of water. Do not induce vomiting. It may induce diarrhea. If diarrhea persists, seek medical attention.

**INHALATION:** Remove to fresh air. If breathing difficulty or discomfort occurs and persists, seek medical attention.

# 5. FIRE FIGHTING MEASURES

**EXTINGUISHING MEDIA:** Deluge with water

**FIRE/EXPLOSION HAZARDS:** Product in non-combustible but it may release noxious sulfur compounds during a fire.

**FIRE FIGHTING PROCEDURES:** Use flooding with plenty of water, carbon dioxide or other inert gasses. Wear full protective clothing and self-contained breathing apparatus. Deluging with water is the best method to control combustion of the product.

FLAMMABILITY LIMITS: non-combustible

**SENSITIVITY TO IMPACT:** non-sensitive

**SENSITIVITY TO STATIC DISCHARGE:** not available

# 6. ACCIDENTAL RELEASE MEASURES

Confine and collect spill. Transfer to an approved DOT container and properly dispose. Do not dispose of or rinse material into sewer, stormwater or surface water.

# 7. HANDLING AND STORAGE

**HANDLING:** Avoid contact by using personal protective equipment.

**STORAGE:** Keep dry. Use first in, first out storage system. Keep container tightly closed when not in use. Avoid contamination of opened product. Avoid contact with reducing agents.

**COMMENTS:** Use gentle mechanical ventilation or exhaust during use to minimize dust production.

# 8. EXPOSURE CONTROLS – PERSONAL PROTECTION

All components are non-hazardous

**ENGINEERING CONTROLS:** None are required. If active ventilation is used, it should be gentle as to not create dust.

# PERSONAL PROTECTIVE EQUIPMENT

**EYES and FACE:** Safety goggles

**RESPIRATOR:** dusk mask but not respirator **PROTECTIVE CLOTHING:** None necessary

GLOVES: rubber, latex or neoprene

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Odor: none to slight sulfur

Appearance: white to slightly yellow, solid

Auto-ignition Temperature Non-combustible

Boiling Point >600 C Melting Point 48.1 C

Density 0.95 gram/cc Solubility 340 g/L 6-8

# 10. STABILITY AND REACTIVITY

**CONDITIONS TO AVOID:** reducing agents. Product will melt over 48.1 C

**STABILITY:** product is stable

POLYMERIZATION: will not occur

**INCOMPATIBLE MATERIALS:** reducing compounds may result in noxious hydrogen

sulfide production

**HAZARDOUS DECOMPOSITION PRODUCTS:** may produce hydrogen sulfide in presence of reducing agents, and sulfur oxides at elevated temperatures.

# 11. TOXICOLOGICAL INFORMATION

#### **Acute Toxicity**

A: General Product Information

Acute exposure may cause mild skin and eye irritation. Gastrointestinal absorption may cause acute magnesium poisoning. Symptoms include flushing, sweating, low blood pressure, depression of reflexes, flaccid paralysis, hypothermia, circulatory collapse, and depression of CNS and heart function. Excessive long-term ingestion of this product may cause also cause magnesium poisoning with symptoms described above.

B: Component Analysis - LD50/LC50

No information available.

B: Component Analysis - TDLo/LDLo

TDLo (Oral-Man) 183 mg/kg/4 hours-intermittent: Gastrointestinal: hypermotility, diarrhea; LDLo (Intraduodenal-Woman) 5344 mg/kg

#### Carcinogenicity

A: General Product Information

No information available.

**B**: Component Carcinogenicity

Product is not listed by ACGIH, IARC, OSHA, NIOSH, or NTP.

#### **Epidemiology**

No information available.

# Neurotoxicity

No information available.

# 12. ECOLOGICAL INFORMATION

**Ecotoxicity** 

No information available.

**Environmental Fate** 

No potential for food chain concentration

# 13. DISPOSAL CONSIDERATIONS

**DISPOSAL METHOD:** Material is not considered hazardous, but consult with local, state and federal agencies prior to disposal to ensure all applicable laws are met.

# 14. TRANSPORT INFORMATION

NOTE: The shipping classification information in this section (Section 14) is meant as a guide to the overall classification of the product. However, transportation classifications may be subject to change with changes in package size. Consult shipper requirements under I.M.O., I.C.A.O. (I.A.T.A.) and 49 CFR to assure regulatory compliance.

#### **US DOT Information**

Shipping Name: Not Regulated Hazard Class: Not Classified UN/NA #: Not Regulated Packing Group: None Required Label(s): None

50<sup>th</sup> Edition International Air Transport Association (IATA):

Not Regulated

#### INTERNATIONAL MARITIME DANGEROUS GOODS (IMDG)

Material is not regulated under IMDG

# 15. REGULATORY INFORMATION

#### **UNITED STATES**

#### **SARA TITLE III**

SECTION 311 Hazard for Immediate health Hazard SECTION 312 No Threshold Quantity SECTION 313 Not listed

CERCLA NOT REGULATED UNDER CERCLA
TSCA NOT REGULATED UNDER TSCA
CANADA (WHIMS): NOT REGULATED

# 16. OTHER INFORMATION

# HMIS:

| Health              | 1 |
|---------------------|---|
| Flammability        | 0 |
| Physical Hazard     | 0 |
| Personal Protection | Е |

E: Safety Glasses, gloves and dusk mask